

## Specification

	Model	LTV-2500	LTV-3500
Platform	Display Technology	TI 0.47-inch 4K UHD DMD	TI 0.47-inch 4K UHD DMD
	Light Source	Triple Pure Laser w/o Color Wheel	Triple Pure Laser w/o Color Wheel
	Laser Life	25,000+ hours	25,000+ hours
	Software OS	Android 9.0	Android 9.0
	RAM/EMMC	3G/128G	3G/128G
Projection	Projection Size	80-150 inch	80-150 inch
	Brightness	2600 lumen	3500 lumen
	Color Space	107% Rec. 2020, 149% DCI-P3	107% Rec. 2020, 149% DCI-P3
	Resolution	4K@60Hz, 1080P@120Hz	4K@60Hz, 1080P@120Hz
	Throw Ratio	0.25 : 1	0.25 : 1
	Electric Focus	Yes	Yes
	Keystone Correction	8 points	8 points
	Contrast Ratio	1,000,000:1(dynamic)	1,000,000:1(dynamic)
	HDR	HDR 10+, HDR10, HLG,SDR	HDR 10+, HDR10, HLG,SDR
	3D	Yes	Yes
	MEMC	Yes	Yes
	HDCP	HDCP2.2, HDCP1.4	HDCP2.2, HDCP1.4
	HDMI ARC	eARC	eARC
	Auto Brightness Adjustment	Yes	Yes
	Laser Outlet Blocked Detect	Yes	Yes
	Eye Safety	Yes	Yes
	TV Stick Pocket	Yes	Yes
Audio & Noise	Audio Output Power	36W (Stereo)	36W (Stereo)
	Audio Performance	Dolby Atmos, DTS Virtual X	Dolby Atmos, DTS Virtual X

	Noise	≤27dB	≤30dB
Connectivity	HDMI	3*HDMI(eARC on HDMI 2)	3*HDMI(eARC on HDMI 2)
	USB	2* USB 2.0	2* USB 2.0
	Ethernet	1*LAN	1*LAN
	Digital Audio Output	1*S/PDIF	1*S/PDIF
	Analog Video Input	1* AV In	1* AV In
	TV Stick Pocket	1	1
	Wi-Fi	Yes, 802.11a/b/g/n/ac(Dual-Band)	Yes, 802.11a/b/g/n/ac(Dual-Band)
	Bluetooth	Yes	Yes
Power	Power Supply	100 -240 V@ 50-60Hz	100 -240 V@ 50-60Hz
	Power Consumption	175 W	320 W
	Standby Mode	0.5 W	0.5 W
Accessories	Amazon Fire TV Stick 4K Max	Yes	Yes
	Remote Control	Yes, IR & Bluetooth dual mode	Yes, IR & Bluetooth dual mode
	Manual	Yes	Yes
	Power Cord	Yes	Yes
	AV Input Cable	Yes	Yes
	Cleaning Cloth	Yes	Yes
General	Dimensions	23.6*13.9*5.7 inch 599*353*145 mm	23.6*13.9*5.7 inch 599*353*145mm
	Weight	26.5 lbs. / 12 kg	27 lbs. / 12.3 kg
	Packaged Dimensions	29.0*19.5*11.8 inch 736*495*300 mm	29.0*19.5*11.8 inch 736*495*300 mm
	Packaged Weight	29.5 lbs. /13.4 kg	30 lbs. / 13.6 kg
	Working Temperature	32-104°F / 0 - 40°C	32-104°F / 0 - 40°C
	Storage Temperature	-4 - 140°F / -20 - 60°C	-4 - 140°F / -20 - 60°C
	UPC	850025255097	850025255103

# Throw distance chart




	Image Size (Diagonal, inch)	Image Width (inch)	Image Height (inch)	A (Image to front, inch)	B (Image to rear, inch)	C (Image to top, inch)	D (Image to foot, inch)
4K 16:9 TR=0.25	80	69.7	39.2	19.9	6	7.2	12.9
	100	87.2	49	23.7	9.8	9.4	15.1
	120	104.6	58.8	27.5	13.6	11.3	17
	150	130.7	73.5	34.1	20.2	13.3	19

